



FFR 10


Rack systems




Rack for storage of window elements. Stable steel construction. Rack for storage of window sashes. The individual elements are available for direct access. Specially designed for integration in assembly lines. Access is possible from both sides. Supporting surfaces with support rollers for even easier loading and unloading. Compartment separating bars covered with protective tubing.

**Compartments**


All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage

**Supports**

Lower storage area with support rollers for easier loading and unloading

**Profile protectors**

Profile protectors for support rollers 3x120 mm (Alum./48 x), support rollers covered with protective tubing

**Casters, cmpl.
(Optional)**

Two casters with brake and two fixed rollers provide mobility in all directions, roller diameter 125 mm



FFR 10 / RACK SYSTEMS

DIMENSION AND WEIGHT

Length (mm)	1.820
Width (mm)	1.000
Height (mm)	2.965
Weight (kg)	250

STORAGE CAPACITY

Compartments	10
Compartment width (mm)	130
Compartment height (mm)	2.600
Load capacity (kg)	800

CHARACTERISTICS

Floor support equipped with knob profile	<input checked="" type="radio"/>
Compartment separating bars covered with protective tubing	<input checked="" type="radio"/>
Supporting surface with rollers	<input checked="" type="radio"/>
Rollers and handle	<input type="radio"/>

Included ● Available ○