



**GLW 48**

Transport and trolleys




Profile trolley for vertical storage and transportation of glazing beads. Stable steel construction. Double-sided profile trolley for vertical storage and transportation of glazing beads. Quick access to pre-sorted glazing beads. Four sorting racks with fixed spacing. Compartment dividers covered with protective tubing. Lower supporting surface clad with protective rubber. Rear back support with rubber strips. 24 compartments per side. Transport handle on both sides. Four swivel castors, two of which with locking stop.




### Compartment divider with plastic protector

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage



### Back support with rubber strips

Rear supporting surfaces equipped with rubber strips protect profiles from damage



### Supporting surfaces with protective rubber

Lower supporting surfaces clad with rubber protect the profiles from damage



### Transport handles

Transport handles on both sides for mobility



### Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



**Voi&ap S.p.A.**  
Via Archimede, 10  
41019 - Limidi di Soliera (MO)  
ITALY

Tel 059 895411  
Fax: 059 859404  
P.IVA e C.F. 02057270361  
info@somecopvc.com  
www.somecopvc.com

The right to make technical alterations is reserved.

## GLW 48 / TRANSPORT AND TROLLEYS

## DIMENSION AND WEIGHT

Length (mm)	1.620
Width (mm)	650
Height (mm)	1.640
Weight (kg)	120

## STORAGE CAPACITY

Compartment dividers	8
Compartments	48
Compartments per side	24
Compartment width (mm)	40
Compartment depth (mm)	90
Support height (mm)	1.400
Load capacity (kg)	400

## CHARACTERISTICS

Sorting racks with fixed spacing	4
Swivel castors	4
Swivel castors with locking stop	2
Swivel castors diameter (mm)	125

Included ● Available ○