


TECHNICAL SHEET

14/09/2025




Horizontal table for all work tasks on frames and sashes. Stable steel construction. Angled work table; can be used as a pass-through in the production line or as a buffer zone. Assembly table for all work tasks on frames and sashes. Table supporting surface with plastic slide bars. Storage tray for setting down tools and accessories. Adjustable height. Simple installation with a modular system design.




TECHNICAL SHEET

14/09/2025



Supporting surfaces

Supporting surfaces with plastic slide bars




Storage tray

Storage tray for setting down tools and accessories



Height adjustment

Adjustable height; working height can be set to 850 – 1,000 mm by means of adjustable feet



Storage area (Optional)

Storage area with 6 plastic trays for small accessories, hardware and screws



Brush strip (Optional)

Supporting surfaces with brush strip



Felt strip (Optional)


Supporting surfaces with felt strip

Voilàp S.p.A. Via Archimede, 10 41019 - Limidi di Soliera (MO) Tel 059 895411 Fax: 059 859404 P.IVA e C.F. 02057270361 info@somecopvc.com www.somecopvc.com The right to make technical alterations is reserved.

(someco)


TECHNICAL SHEET

14/09/2025




Rubber strips (Optional)

Supporting surfaces with rubber-knob profile



Roller support cmpl. (Optional)

Hard plastic rollers with polyamide coating, on plain bearings, load per roller 60 kg, convenient for transport and handling of PVC elements



Tool rack (Optional)

Tool rack for pneumatic or electrical tools



4-fold compressed air connection (Optional)

4-fold compressed air connection for connecting compressed-air tools



Parallelogram support, cmpl., for 90° (Optional)

The rhomboid support surface is available in versions with plastic sliding strips, brush strips, felt strips, rubber strips or roller support



Triangle support, cmpl., for in-line use (Optional)

The triangular support surface is available in versions with plastic sliding strips, brush strips, felt strips, rubber strips or roller support





14/09/2025



HT 2045 R / ASSEMBLY TABLES

DIMENSION AND WEIGHT	
Length (mm)	2.850
Width (mm)	1.300
Height (mm)	850 ÷ 1.000
Weight (kg)	100

SUPPORTING SURFACE	
Adjustable height	•
Storage tray for setting down tools and accessories	•
Table supporting surface with plastic slide bars	•
Table brush strip supporting surface	0
Table felt profile strip supporting surface	0
Table rubber knob profile	0
Roller support	0
Parallelogram support for 90°	0
Table brush strip supporting surface for parallelogram support	0
Table felt profile strip supporting surface for parallelogram support	0
Table rubber knob profile for parallelogram support	0
Roller support for parallelogram support 90°	0
Triangle support	0
Table brush strip supporting surface for triangle support	0
Table felt profile strip supporting surface for triangle support	0
Table rubber knob profile for triangle support	0
Roller support surface for triangle support	0

CHARACTERISTICS	
Tool holder	0
Storage tray	0
4-fold compressed air supply	0

Included ● Available ○

Voilàp S.p.A. Via Archimede, 10 41019 - Limidi di Soliera (MO) ITALY

Tel 059 895411 Fax: 059 859404 P.IVA e C.F. 02057270361 info@somecopvc.com www.somecopvc.com The right to make technical alterations is reserved.