





PWS 1000

Transport and trolleys




Profile trolley for vertical storage and transportation of profiles. Stable steel construction. Vertical profile transportation. Profile trolley with loading on one side. Easy loading and unloading. Sufficient for 30-40 profile bars. Compartment divider height is adjustable. Supporting surface with bar grid floor. Four castors, two of which have a fixing brake. Option: plastic protector for PWS 1000.




Easy loading and unloading

Profile trolley with loading on one side




Compartment dividers

Compartment divider height is adjustable. Compartment width 100 mm. Compartment depth 540 mm




Supporting surface

Supporting surface with bar grid floor



Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



Plastic protector (Optional)

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage



Voilàp S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY

Tel 059 895411
Fax: 059 859404
P.IVA e C.F. 02057270361
info@somecopvc.com
www.somecopvc.com

The right to make technical alterations is reserved.



PWS 1000 / TRANSPORT AND TROLLEYS

CHARACTERISTICS

Length (mm)	1.200
Width (mm)	800
Height (mm)	1.360
Compartment dividers	2
Compartments	9
Swivel castors diameter (mm)	125
Compartment width (mm)	100
Compartment depth (mm)	540
Support height (mm)	1.150
Weight (kg)	60
Load capacity (kg)	350
Quantity of profile bars	30 - 40
Profile trolley with loading on one side	●
Supporting surface with bar grid floor	●
Plastic protection	○

Included ● Available ○