





## PWS 4000

Transport and trolleys




Profile trolley for vertical storage and transportation of profiles. Stable steel construction. Vertical profile transportation. Profile trolley can be loaded on both sides. 18 compartments per side. Easy loading and unloading. Sufficient for 120 - 160 profile bars. Compartment dividers height is adjustable. Supporting surface with bar grid floor. Four castors, two of which have a fixing brake. Option: plastic protector for PWS 4000.




**Easy loading and unloading**

Profile trolley with loading on two sides




**Compartment dividers**

Compartment divider height is adjustable. Compartment width 100 mm. Compartment depth 400 mm




**Supporting surface**

Supporting surface with bar grid floor



**Casters**

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



**Plastic protector (Optional)**

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage



PWS 4000 / TRANSPORT AND TROLLEYS

CHARACTERISTICS

Length (mm)	2.230
Width (mm)	1.560
Height (mm)	1.850
Compartment dividers	4
Compartments	36
Swivel castors diameter (mm)	125
Compartment width (mm)	100
Compartment depth (mm)	400
Support height (mm)	1.620
Weight (kg)	200
Load capacity (kg)	600
Quantity of profile bars	120 - 160
Profile trolley can be loaded on both sides	●
Compartments per side	18
Supporting surface with bar grid floor	●
Plastic protection	○

Included ● Available ○