



PWW 4000

Transport and trolleys




Profile trolley for horizontal storage and transportation of profiles. Stable steel construction. Horizontal profile transportation. Easy transportation of profile raw materials and cut-to-size profiles. Support arms are rubber coated. Profile trolley with profile supports on both sides. Six supports per upright. Three centre uprights. Six swivel castors, two of which with locking stop.




Easy loading and unloading

Well-organised storage provides quick access



Support arms

Support arms are rubber coated. Adjustable centre upright



Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



Individual centre upright

Additional centre uprights

PWW 4000 / TRANSPORT AND TROLLEYS
DIMENSION AND WEIGHT

| | |
|-------------|-------|
| Length (mm) | 4.000 |
| Width (mm) | 1.000 |
| Height (mm) | 1.960 |
| Weight (kg) | 130 |

STORAGE CAPACITY

| | |
|------------------------|-----|
| Shelves | 11 |
| Clearance (mm) | 260 |
| Lower shelf width (mm) | 420 |
| Upper shelf width (mm) | 300 |
| Load capacity (kg) | 500 |

CHARACTERISTICS

| | |
|----------------------------------|-----|
| Centre upright | 3 |
| Swivel castors | 6 |
| Swivel castors with locking stop | 2 |
| Swivel castors diameter (mm) | 125 |

Included ● Available ○