


**RF 1000**

Transport and trolleys




Profile trolley for in-house transportation of frames and sashes. Stable steel construction. Trolley with sorting rack for transportation and storage of frames and sashes. Hardwood supporting surface. Compartment dividers for nine frames. Compartment divider height is adjustable. Four swivel castors, two of which with locking stop.

**Voiàp S.p.A.**  
Via Archimede, 10  
41019 - Limidi di Soliera (MO)  
ITALY


Tel 059 895411  
Fax: 059 859404  
P.IVA e C.F. 02057270361  
[info@somecopvc.com](mailto:info@somecopvc.com)  
[www.somecopvc.com](http://www.somecopvc.com)

The right to make technical alterations is reserved.



### Easy loading and unloading

Direct access to each element



### Compartment dividers

Compartment divider height is adjustable. Compartment width 100 mm. Compartment depth 540 mm




### Supporting surface

Lower supporting surface made of hardwood



### Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



### Plastic protector (Optional)

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage



**Voi& S.p.A.**  
Via Archimede, 10  
41019 - Limidi di Soliera (MO)  
ITALY

Tel 059 895411  
Fax: 059 859404  
P.IVA e C.F. 02057270361  
[info@somecopvc.com](mailto:info@somecopvc.com)  
[www.somecopvc.com](http://www.somecopvc.com)

The right to make technical alterations is reserved.

## RF 1000 / TRANSPORT AND TROLLEYS

## DIMENSION AND WEIGHT

Length (mm)	1.180
Width (mm)	850
Height (mm)	1.360
Weight (kg)	65

## STORAGE CAPACITY

Compartment dividers	2
Compartments	9
Compartment width (mm)	100
Compartment depth (mm)	540
Support height (mm)	1.150
Load capacity (kg)	400

## CHARACTERISTICS

Plastic protection	<input type="radio"/>
Swivel castors	<input type="radio"/>
Swivel castors with locking stop	<input type="radio"/>
Swivel castors diameter (mm)	125

Included ● Available ○