





RF 1000

Transport and trolleys



Profile trolley for in-house transportation of frames and sashes. Stable steel construction. Trolley with sorting rack for transportation and storage of frames and sashes. Hardwood supporting surface. Compartment dividers for nine frames. Compartment divider height is adjustable. Four castors, two of which have a fixing brake. Option: plastic protector for RF 1000.



Easy loading and unloading

Direct access to each element



Compartment dividers

Compartment divider height is adjustable. Compartment width 100 mm. Compartment depth 540 mm




Supporting surface

Lower supporting surface made of hardwood



Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



Plastic protector (Optional)

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage



CHARACTERISTICS

| | |
|----------------------------------|--------------------------|
| Length (mm) | 1.180 |
| Width (mm) | 850 |
| Height (mm) | 1.360 |
| Compartment dividers | 2 |
| Compartments | 9 |
| Swivel castors diameter (mm) | 125 |
| Swivel castors | 4 |
| Swivel castors with locking stop | 2 |
| Compartment width (mm) | 100 |
| Compartment depth (mm) | 540 |
| Support height (mm) | 1.150 |
| Weight (kg) | 65 |
| Load capacity (kg) | 400 |
| Plastic protection | <input type="checkbox"/> |

Included ● Available ○