




**RF**

Transport and trolleys




Profile trolley for in-house transportation of frames and sashes. Stable steel construction. Trolley with sorting rack for transportation and storage of frames and sashes. Hardwood supporting surface. Compartment dividers for nine frames. Compartment divider height is adjustable. Four swivel castors, two of which with locking stop.



### Easy loading and unloading

Direct access to each element



### Compartment dividers

Compartment divider height is adjustable. Compartment width 100 mm. Compartment depth 540 mm




### Supporting surface

Lower supporting surface made of hardwood



### Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling




### Plastic protector (Optional)

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage



MODELS

RF 1000



DIMENSION AND WEIGHT

|             |       |
|-------------|-------|
| Length (mm) | 1.180 |
| Width (mm)  | 850   |
| Height (mm) | 1.360 |
| Weight (kg) | 65    |

STORAGE CAPACITY

|                        |       |
|------------------------|-------|
| Compartment dividers   | 2     |
| Compartments           | 9     |
| Compartment width (mm) | 100   |
| Compartment depth (mm) | 540   |
| Support height (mm)    | 1.150 |
| Load capacity (kg)     | 400   |

CHARACTERISTICS

|                                  |                       |
|----------------------------------|-----------------------|
| Plastic protection               | <input type="radio"/> |
| Swivel castors                   | 4                     |
| Swivel castors with locking stop | 2                     |
| Swivel castors diameter (mm)     | 125                   |

Included ● Available ○