


TECHNICAL SHEET

14/12/2025




Assembly table expandable for all work tasks on frames and sashes. Stable steel construction. Universal assembly table. Pull-outs on four sides. Ideal for large elements. Adjustable height. Table supporting surface with plastic slide bars. Practical storage area under the table surface. Four PVC containers for small accessories, hardware and screws. 4-fold compressed air supply. Simple installation with a modular system design.

1

(someco)


TECHNICAL SHEET

14/12/2025



Supporting surfaces

Supporting surfaces with plastic slide bars



Storage area

Practical storage area under the table surface with 4 PVC containers for small accessories, hardware and screws



Height adjustment

Adjustable height; working height can be set to 850 – 1.000 mm by means of adjustable feet



Brush strip (Optional)

Supporting surfaces with brush strip



Felt strip (Optional)

Supporting surfaces with felt strip



Casters (Optional)

Mobile unit: two casters with brake and two fixed rollers provide mobility in all directions





14/12/2025



MTA 3000 / ASSEMBLY TABLES

DIMENSION AND WEIGHT	
Length (mm)	2.400 ÷ 4.000
Width (mm)	1.300 ÷ 1.900
Height (mm)	850 ÷ 1.000
Weight (kg)	160

SUPPORTING SURFACE	
Adjustable height	•
Table brush strip supporting surface	0
Table felt profile strip supporting surface	0
Table rubber knob profile	0

CHARACTERISTICS	
Storage area under the table surface	•
PVC containers	4
4-fold compressed air supply	•
Castor wheel Stand Alone (2 castors + 2 fixed)	0

Included ● Available ○